

**Safety Data Sheet**  
Kwik-Kleen

**SECTION I - IDENTIFICATION**

**PRODUCT NAME:** Kwik-Kleen  
**PRODUCT CODE:** 1720070  
**PRODUCT USE:** Lime and Scale remover  
**COMPANY NAME:** Prostar Industries, Inc.  
**COMPANY ADDRESS:** 1590-A.N. Harvey Mitchell, Bryan, TX 77803  
**COMPANY PHONE:** 1-800-262-7104  
**EMERGENCY PHONE:** 800-255-3924

**SECTION II – HAZARDS IDENTIFICATION**

**CLASSIFICATION:** Skin Corrosive: Category 1C

Eye Damage: Category 1

Corrosive to Metals

**HAZARD STATEMENT(S): DANGER:** Causes Severe skin burns and eye damage. May be corrosive to metals.

This product contains the following percentage of chemicals of unknown toxicity: 0.0%

**PRECAUTIONARY STATEMENTS:** Do not breathe mists. Wash hands thoroughly after handling. Wear protective gloves, eye protection, and protective clothing. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents and container in accordance with local, state, and national regulations. Keep only in original container. Absorb spillage to prevent material damage. Store in a corrosive resistant container with a resistant inner liner.



**SYMBOL:**

**HAZARDS NOT OTHERWISE CLASSIFIED:** N/A

**SECTION III – COMPOSITION/INFORMATION ON INGREDIENTS**

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
Phosphoric Acid	7664-38-2	5-10%

**SECTION IV - FIRST AID MEASURES**

**EYES:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

**INGESTION:** If swallowed: Rinse mouth. Do NOT induce vomiting. Get medical advice or attention.

**INHALATION:** If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell.

**SKIN:** Immediately wash with water for 15 minutes. Remove contaminated clothing and shoes immediately. Seek immediate medical attention.

**ACUTE HEALTH HAZARDS:** Causes severe burns.

**CHRONIC HEALTH HAZARDS:** Dermatitis may occur due to long-term irritation.

**NOTE TO PHYSICIAN:** The absence of visible signs or symptoms of burns does not reliably exclude the presence of actual tissue damage.

**SECTION V – FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA:** Use appropriate media for surrounding fire.

**UNSUITABLE EXTINGUISHING MEDIA:** N/A

**SPECIAL FIRE FIGHTING PROCEDURES:** Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Toxic fumes may be generated during a fire.

**HAZARDOUS COMBUSTION PRODUCTS:** Acrid smoke, oxides of carbon.

**Safety Data Sheet**  
**Kwik-Kleen**

**SECTION VI – ACCIDENTAL RELEASE MEASURES**

**PERSONAL PROTECTIVE EQUIPMENT:** Refer to section VIII for proper Personal Protective Equipment.

**SPILL:** Clean up using cloth or absorbent material. dispose of product-containing wiping cloth or absorbent paper in suitable manner. place waste in proper containers for waste disposal.

**WASTE DISPOSAL:** Dispose of in accordance with federal, state, and local regulations. Do not reuse container and recycle or place in trash collection. Drums and pails should be offered for recycling.

**RCRA STATUS:** Waste likely considered hazardous under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

**SECTION VII – HANDLING AND STORAGE**

**HANDLING AND STORAGE:** Store locked up. Keep only in original container. Store in a corrosive resistant container with a resistant inner liner.

**OTHER PRECAUTIONS:** Keep out of the reach of children.

**INCOMPATIBILITY:** Alkaline Materials.

**SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION**

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Phosphoric Acid	1 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>

**ENGINEERING CONTROLS / VENTILATION:** General ventilation recommended.

**RESPIRATORY PROTECTION:** Wear NIOSH/MSHA approved organic vapor respiratory protection if listed exposure limits (section VIII) are exceeded.

**PERSONAL PROTECTIVE EQUIPMENT:** Safety glasses, Gloves, and Synthetic apron.

**ADDITIONAL MEASURES:** Wash hands immediately after use. Do not get on clothes or skin.

**SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** Clear, Colorless Liquid

**ODOR:** Mint scent

**ODOR THRESHOLD:** N/D

**BOILING POINT:** N/D

**FREEZING POINT:** < 32°F (0°C)

**FLAMMABILITY:** Not considered a flammable liquid by OSHA (29CFR 1910.1200)

**FLASH POINT:** N/D

**AUTOIGNITION TEMPERATURE:** N/D

**LOWER FLAMMABILITY LIMIT:** N/D

**UPPER FLAMMABILITY LIMIT:** N/D

**VAPOR PRESSURE (mm Hg):** >18

**VAPOR DENSITY (AIR=1):** 1

**EVAPORATION RATE:** < 0.8 (Slow)

**SPECIFIC GRAVITY (H<sub>2</sub>O=1):** 1.05 @ 77° F (25° C)

**pH:** <1

**SOLIDS (%):** N/D

**SOLUBILITY IN WATER:** 100%

**PARTITION COEFFICIENT: n-OCTANOL/WATER (K<sub>ow</sub>):** N/D

**VOLATILITY INCLUDING WATER (%):** 99.9%

**VOLATILE ORGANIC COMPOUNDS (VOC):** 0%

**DIELECTRIC STRENGTH (Volts):** N/A

**DECOMPOSITION TEMPERATURE:** N/D

**VISCOSITY:** N/D

**SECTION X – STABILITY AND REACTIVITY DATA**

**REACTIVITY:** Chemically active metals and bases.

# Safety Data Sheet

Kwik-Kleen

**CHEMICAL STABILITY:** Stable

**CONDITIONS TO AVOID:** Chlorine liberating material. Do not mix with bases, ammonia or other cleaning compounds.

**INCOMPATIBILITY:** Alkaline Materials.

**HAZARDOUS DECOMPOSITION OR BY-PRODUCT:** Carbon monoxide and unidentified organic compounds may be formed during combustion.

**POSSIBLE HAZARDOUS REACTIONS:** None Known

## SECTION XI – TOXICOLOGICAL INFORMATION

**TOXICOLOGICAL INFORMATION:** Phosphoric Acid (7664-38-4) LD<sub>50</sub> (Oral, Rat) 4,400 mg/kg; LD<sub>50</sub> (Dermal, Rabbit) > 3,160 mg/kg

**ROUTES OF ENTRY:** Eyes, Ingestion, Inhalation, Skin

**EYES:** Causes burns.

**INGESTION:** Causes chemical burns, damage to mouth and esophagus with gastrointestinal irritation, nausea, vomiting.

**INHALATION:** Hydrochloric acid is extremely corrosive and irritating to the respiratory tract

**SKIN:** Cause redness, pain, and severe burns to skin. Concentrated solutions cause deep ulcers and discolor skin. Exposure to liquid, vapor, or mist causes severe skin irritation.

**MEDICAL CONDITION AGGRAVATED:** May aggravate pre-existing medical conditions.

**ACUTE HEALTH HAZARDS:** Causes severe burns.

**CHRONIC HEALTH HAZARDS:** Dermatitis may occur due to long-term irritation.

**CARCINOGENICITY:** OSHA: No ACGIH: No NTP: No IARC: No OTHER: No

## SECTION XII – ECOLOGICAL INFORMATION

**ECOLOGICAL INFORMATION:** Not Established

**BIODEGRADABILITY:** This product is biodegradable.

**BIOACCUMULATION:** This product is not expected to bioaccumulate.

**SOIL MOBILITY:** This product is mobile in soil.

**OTHER ECOLOGICAL HAZARDS:** None Known

## SECTION XIII – DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL:** Dispose of in accordance with federal, state, and local regulations. Do not reuse container and recycle or place in trash collection. Drums and pails should be offered for recycling.

**RCRA STATUS:** Waste likely considered hazardous under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

## SECTION XIV - TRANSPORTATION INFORMATION

**PROPER SHIPPING NAME:** Corrosive Liquid, N.O.S., Ltd. Qty.

**HAZARD CLASS/DIVISION:** 8

**UN/NA NUMBER:** UN 1760

**PACKAGING GROUP:** III

### AIR SHIPMENT

**PROPER SHIPPING NAME:** Corrosive Liquid, N.O.S., Ltd. Qty.

**HAZARD CLASS/DIVISION:** 8

**UN/NA NUMBER:** UN 1760

### SHIPPING BY WATER:

#### VESSEL (IMO/IMDG)

**PROPER SHIPPING NAME:** Corrosive Liquid, N.O.S., Ltd. Qty.

**HAZARD CLASS/DIVISION:** 8

**UN/NA NUMBER:** UN 1760

**ENVIRONMENTAL HAZARDS WATER:** N/A

**Safety Data Sheet**  
Kwik-Kleen

**SECTION XV - REGULATORY INFORMATION**

**TSCA STATUS:** All Chemicals are listed or exempt.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** Sulfuric Acid (7664-93-9) - Reportable  
Quantity = 1,000 lbs

**SARA 311/312 HAZARD CATEGORIES:** Acute Health

**SARA 313 REPORTABLE INGREDIENTS:** Phosphoric Acid (7664-38-2)

**STATE REGULATIONS:** California Proposition 65: None

**INTERNATIONAL REGULATIONS:** All components are listed or exempted.

<b>NFPA HEALTH:</b>	2	<b>HMIS HEALTH:</b>	2
<b>NFPA FLAMMABILITY:</b>	0	<b>HMIS FLAMMABILITY:</b>	0
<b>NFPA REACTIVITY:</b>	0	<b>HMIS REACTIVITY:</b>	0
<b>NFPA OTHER:</b>	None	<b>HMIS PROTECTION:</b>	C

**SECTION XVI - ADDITIONAL INFORMATION**

**PREPARATION BY:** Jonathon Jarvis

**DATE PREPARED:** 08/16/2013

**REVISION DATE:** 07/15/2015

N/A = Not Applicable; N/D = Not Determined

**DISCLAIMER:** To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.